LISKEARD RURAL DISTRICT COUNCIL.

ANNUAL REPORT OF THE MEDICAL OFFICER OF HEALTH.

FOR THE YEAR 1942.

The Chairman and Members of the Liskeard Rural District Council. Gentlemen.

I beg to present my Report as your Medical Officer of Health for the Rural District of Liskeard for the year 1942.

It is with pleasure that I am able to report that the general health of the District was good. No severe epidemics were experienced, the total number of notifiable infectious diseases being 69 only.

Liskeard Cottage Hospital has continued to enhance its splendid reputation in the area -A large number of the total admissions and out-patient attendances came from the Rural District.

In spite of very depleted numbers, the local division of the St. John Ambulance Association has met all the calls for its services. The Ambulance has been ready day and night- every day of the year. The remaining members have never failed to deal very efficiently with all and every call for their services.

As usual the District Nurses have maintained their already high standard of efficiency. Their work is never easy in a large Rural District, but the high standard of their work and the confidence of the public they enjoy has enabled them to save the Doctors of the area much valuable time and mileage.

STATISTICS AND SOCIAL CONDITIONS.

Area of the District
Resident Population(Registrar General's
Estimate)
Rateable value of the District.

Sum represented by a Penny Rate.

1.04,851 acres.

16,440
36,548
2161.17.5.

SOCIAL CONDITIONS.

population.

The Chief Industries of the District are Agriculture and Dairy Farming. Industries which are projudicial to the public health are non existent.

VITAL STATISTICS. Live Births. Logitimate. Illegitimate.	Total 243 15 256	Male 121 8 129	Female 122 5 127
Birth Rate per 1,000 of the estimated resident population.	15.57		
Birth Rate for England & Wales per			

15.8

Francisco (1997) La company of the state of the L. Linger was the talk The transfer of the second sec · · · · · 19 M. 33 100 e Barana a sana Constitution of the second of A Company of the Company

	19.		
Still Births. Logitimate. Illegitimate.	Total 4 0	Male 3 . 0	Fonale 1 0
Still Birth Rate per 1,000(Live & Still Birth Rate per 1,000 estimat	Still Bir	ths) 15: tien.	38 .24
<u>Deaths</u>	Total 198	Male 97	Female 101
Rate per 1,000 of estimated reside Rate for England & Wales estimated population.		tion,12.04 11.6	:
Deaths from Puerperal Causes.			
Pucrporal & Post Abortion Sepsis. Other Maternal Causes.		Deaths 0 2	•
Rate per 1,000 Total Births(Live & Rate per 1,000 Total Births(Live & for England & Wales.		7.69 2.01	
Death Rate of Infants under 1 year	r of age.		
Logitimato Illogitimato	Total 13 0	Malc 6 0	Forale 7 0
Death Rate All Infants per 1,000 I Legimete Infants per 1,000 legitir Illegitimate Infants per 1,000 ill	nto live	births 53.	78 49
births.	COLULLIA	0	
The state of the s	gos))
Deaths from Monsles (all ages) Deaths from Thomping Cough (all Ag	gos)	0 Ni 2 2	
Deaths from Measles (all ages) Deaths from Thomping Cough (all Age) Deaths from Diarrhoca (under 2 year CAUSES OF DELTHS. Cerebro-Spinal Fever Tuberculosis (Respiratory) Syphilitic Diseases Influenza	gos)	Male Male 1	Female 1 2
Deaths from Measles (all ages) Deaths from Thomping Cough (all Age Deaths from Diarrhoca (under 2 year CAUSES OF DELTHS. Cerebro-Spinal Fever Tuberculosis (Respiratory) Syphilitic Diseases Influenza Cancer. (Mouth & Gullet) " Utorus	gos)	Male Male 1 1 2	Female 1 2 5
Deaths from Measles (all ages) Deaths from Thomping Cough (all Age Deaths from Thomping Cough (all Age Deaths from Diarrhoca (under 2 year) CAUSES OF DELTHS. Carebro-Spinal Fever Tuberculosis (Respiratory) Syphilitic Diseases Influenza Cancer. (Mouth & Gullet) "Utorus Breast All other Sites.	gos)	Male 2 5 1 2 -	Female 1 2
Deaths from Mensles (all ages) Deaths from Thocping Cough (all Age Deaths from Thoch(under 2 year) CAUSES OF DELITHS. Carebro-Spinal Fever Tuberculosis (Respiratory) Syphilitic Diseases Influenza Cancer. (Mouth & Gullet) "Uterus "Breast "All other Sites. Diabetes. Intracranial Vascular lesious. Heart Disease.	ges) es of age)	Male 2 5 1 2 - 10 1 6 30	Female 1 2 3
Deaths from Mensles (all ages) Deaths from Thomping Cough (all Ages) Deaths from Diarrhoca (under 2 year CAUSES OF DEITHS. Cerebro-Spinal Fever Tuberculosis (Respiratory) Syphilitic Diseases Influenza Cancer. (Mouth & Gullet) "Utorus "Breast "All other Sites. Diabetes. Intracranial Vascular Lesious.	ges) es of age)	Ni 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Female 1 2 5 2 5 9
Deaths from Measles (all ages) Deaths from Thoeping Cough (all Ages) Deaths from Diarrhoen(under 2 year CAUSES OF DELTHS. Cerebro-Spinal Fever Tuberculosis(Respiratory) Syphilitic Diseases Influenza Cancer. (Mouth & Gullet) "Uterus Breast "All other Sites. Diabetes. Intracranial Vascular lesious. Heart Disease. Other diseases of Circulatory Syst Bronchitis Pnounchia Other Respiratory Diseases Ulcer of Stemach or Duodenum Digestive Diseases excluding Appear	ges) es of age)	No. 10 10 10 10 10 10 10 10 10 10 10 10 10	Female -1 -2 -5 25 -9 45 -2 3 - 2
Deaths from Measles (all ages) Deaths from Thomping Cough (all Ages) Deaths from Diarrhom (under 2 year CAUSES OF DELITHS. Cerebro-Spinal Fever Tuberculosis (Respiratory) Syphilitic Diseases Influenca Cancer. (Mouth & Gullet) "Uterus Breast "All other Sites. Diabetes. Intracranial Vascular Lesious. Heart Disease. Other diseases of Circulatory System Bronchitis Pneumonia Other Respiratory Diseases Ulcer of Stemach or Duodenum	ges) es of age)	No Ni 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Female -1 -2 -3 25 -9 45 -2 3
Deaths from Monsles (all ages) Deaths from Thoeping Cough (all Ageonths from Diarrhoed (under 2 year) CAUSES OF DELTHS. Cerebro-Spinal Fever Tuberculosis (Respiratory) Syphilitic Diseases Influenza Cancer. (Mouth & Gullet) "Uterus Breast "All other Sites. Diabetes. Intracranial Vascular Lesious. Heart Disease. Other diseases of Circulatory Systementics Prounchitis Prounchitis Prounchitis Provided The Providence of Stemen or Duodenum Digestive Diseases excluding Apperticities Pressure Birth	ges) es of age)	No.	Female 1 2 3 25 - 9 45 2 3 - 2 4 1 - 2
Deaths from Measles (all ages) Deaths from Thoeping Cough (all Ages) Deaths from Diarrhoca (under 2 year CAUSES OF DELTHS. Cerebro-Spinal Fever Tuberculosis (Respiratory) Syphilitic Diseases Influenza Cameer. (Mouth & Gullet) "Uterus Breast "All other Sites. Diabetes. Intracranial Vascular Lesieus. Heart Diseases of Circulatory Syst Bronchitis Pnoumenia Other Respiratory Diseases Ulcer of Stemach or Duodenum Digestive Diseases excluding Apper Nephritis Premature Birth Suicide. Road Traffic Accidents	ges) es of age)	Ni 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Female -1 2 5 25 - 9 45 23 - 24 1

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

GENERAL PROVISION OF HEALTH SERVICES FOR THE AREA.

Public Health Officers of the Authority.

a. Medical -

Medical Officer of Health - Dr. E.S. Toogood, Golden Bank, Liskeard.

The following Medical Practioners act as part-time District Medical Officers and/or as Public Vaccinators:~

Dr.A.G.Aitken.
Dr.W.H.King.
Dr.A.McCley.
Dr.B.B.Mctcalfe.
Dr.L.Moran.
Dr.J.R.Smalc.

Callington
Fowey.
Polperro
Liskeard
Loce
Pensilva.

Dr.E.Wordley, of Plymouth, undertales the pathological examination of material submitted.

County Tuberculosis Officer - Dr. Day, County Hall, Truro.

b. Others -

Senitary Inspector)
Meat & Food Inspector)
Milk & Dairy Inspector)
Building Surveyor

Mr.G.Rogers. A.R.S.I. Liskeard.

Public Analyists of Water -

- (a) Chemical Messrs. Benedict Kitto & Sons. London.
- (b) Bacteriological Mr.Wm.Partridge, Holbern, London.

Laboratory Facilities.

No change has been made in the arrangements for the examination and analysis of Clinical material, water, milk and foodstuffs.

Milk and pathological examinations are carried out by Dr.E.Wordley, Plymouth. Foodstuffs by the County Analyst.

Ambulance Facilities.

The Liskeard Division of the St.John Ambulance Association has done valuable work in the removal of non-infectious cases, accident cases (both road and industrial) and when necessary, maternity cases. The total number of cases dealt with by this Division during 1942 was 184, and the total mileage covered was 6,646.

The Women's Division has done valuable work in accompanying female cases. In spite of the war-time depletions of numbers the service has been carried out in a very satisfactory manner.

. N: 1 . 45 · 5

Lubert Land of the Annihila

The Control of the Co

NURSING IN THE HOME.

General and Maternity.

Local Nursing Associations provide Nurses who are Certified Midwives in co-operation with the Cornwall County Council. Practically the whole of the Rural District is covered by the work of these Local Associations.

Membership of a Local Association costs only a small sum each year. I recommend very strongly all those in the Rural District who are not already members to approach wither the Nurse or Local Secretary without delay.

It is with pleasure that I record the very excellent work carried out by the District Nurses in the area.

Infectious

The District Nurses are forbidden to undertake the nursing of Infectious Diseases. The Cornwall County Council may be approached concerning the Institutional Treatment or the supplying of a Special Nurse for cases of Puerperal Pyrexia. Application is made by the Medical Attendant in charge of the case.

An infectious diseases Hospital has been opened in the County at Truro, and where the house conditions are not satisfactory and nursing facilities are not available, cases may be admitted on application to the Matron by the Doctor concerned. Arrangements are made by the Hospital for Ambulance.

Clinic and Treatment Centres.

No new Clinics or Treatment Centres have been opened in the Rural District during 1942.

Hospitals.

Public - The Public Assistance Hospital situated in the Borough of Liskeard, receives cases from the Rural District of Liskeard and elsewhere.

Voluntary - The Passmore Edwards Cottage Hispital, also situated in the Borough of Liskeard, has been used extensively by the inhabitants of the Rural District. This Hospital contains 27 beds (12 General - 4 male and 8 female) 5 private wards, 3 emergency beds and 7 ccts).

PREVALENCE OF AND CONTROL OVER INFECTIOUS AND OTHER DISEASES.

The Number of Notifiable Infectious Diseases notified in the year was satisfactorily small. For the more important ones, the Emergency County Isolation Hospital offers a satisfactory treatment centre. Early admission limiting the spread of infection, and enabling the contacts to resume their normal occupation without undue loss of working time.

The Importance of Immunisation against Dipthoria is at last being realised by the inhabitants of the District and the following figures can be regarded as very satisfactory.

Number of children under 5

years of ago. Immunised - 170

This gives a percentage pf 57.4 and 88.06 in the groups
respectively.

The section of the se f

4

There has been some increase in the number of cases of Scabics during the year.

Soven cases of Tuberculosis have been notified during the year. This can be regarded as very satisfactory.

No cases of Venercal Disease has been brought to my notice during the year.

NOTIFIABLE DISEASES.

Scarlet Fever	15
Whooping Cough	28
Dipthoria	3
Erysipelas	5
Measles	5
Puemonia	13

CANCER

There were 29 deaths from Concer during 1942,17 Male and 12 Female. This is 14.6% of the total number of Deaths from all causes.

The nearest National Radium Contre is at the South Devon and East Cornwall Hospital, Plymouth, and arrangements for treatment are made by the medical attendent in charge of the case with a member of the consulting staff of the South Devon and East Cornwall Hospital.

PREVENTION OF BLINDNESS

No action has been necessary under Section 66 of the Public Health Act, 1925, for the prevention of blindness, or for the treatment of persons suffering from any disease or injury to the eyes.

TUBERCULOSIS.

No action has been necessary under the Public Health (Prevention of Tuberculosis) Regulations 1925 (relating to persons suffering from Pulmonary Tuberculosis employed in the Milk Trade) nor under Section 62 of the Public Health Act 1925 (relating to the compulsory removal to a hospital of persons suffering from Tuberculosis).

During 1942 there was no "non-notified" deaths from Tuberculosis.

The Notification of Tuberculosis in the area is thorough and satisfactory.

The County Tuberculosis Officer is always available for consultation with the doctor concerned. Pathological specimens are examined and a diagnostic X-ray plant is in use at Tchidy Sanitorum. The County Tuberculosis Officer attends each month at Lamellion House, Liskeard, for the periodic survey of cases in the area.

I am, Gentlemen,

Your obedient Servant,

E.S. TOOGOOD, M.A. Oxon. M.R.C.S.

Medical Officer of Health.

Golden Bank, Liskeard.

, Y 84.0 l.